

BETAETIGER AZ 17/170-B1

- Particularly suitable for sliding doors
- Straight actuator
- Particularly suitable for sliding doors

Data

Ordering data

Product type description	BETAETIGER AZ 17/170-B1
Article number (order number)	101122893
EAN (European Article Number)	4030661104393
eCl@ss number, Version 9.0	27-27-26-06
eCl@ss number, Version 11.0	27-27-26-06
ETIM number, version 7.0	EC001487
ETIM number, version 6.0	EC001487

General data

Material of the actuator	Stainless steel
Gross weight	1 g

Mechanical data

Actuating radius, minimum	140 mm
Actuator	straight rigid

Scope of delivery

Delivery scope of Mounting material

Tamperproof screws

Notes

Note (General)

The axis of the hinge must be 10 mm above and in a parallel plane to the top surface of the safety switch.

minimum actuating radius on rotating guard systems via the narrow edge of the actuator 140 mm

minimum actuating radius on hinged guards in line with the plane of the actuator 200 mm


Documents

Operating instructions and Declaration of conformity

AZ 17/AZM 170 Actuator (117.8 kB, 10.05.2019, Revision D)

Pictures


Product picture (catalogue individual photo)



ID: kaz17f13

| 3.6 MB | .tif | 94.9 x 130.2 mm - 949 x 1302 px - 254 dpi
| 280.4 kB | .jpg | 352.778 x 423.333 mm - 1000 x 1200 px - 72 dpi
| 26.3 kB | .png | 74.083 x 88.9 mm - 210 x 252 px - 72 dpi

Dimensional drawing actuator



ID: 1az17b03

| 28.1 kB | .cdr |
| 3.5 kB | .png | 74.083 x 51.506 mm - 210 x 146 px - 72 dpi
| 68.7 kB | .jpg | 352.778 x 245.181 mm - 1000 x 695 px - 72 dpi

Schmersal India Pvt. Ltd., Plot No - G-7/1, Ranjangaon MIDC, Tal. - Shirur, Dist.- Pune 412 220

The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.

