



## AZ 15/16-B1-1747 NACHRUESTSATZ

- For play-free interlocking of light guards
- The magnetic latch can be easily fitted in any actuating plane
- Suitable for retrofitting
- Straight actuator with magnetic latch
- Particularly suitable for sliding doors

### Data

#### Ordering data

|                               |                                |
|-------------------------------|--------------------------------|
| Product type description      | AZ 15/16-B1-1747 NACHRUESTSATZ |
| Article number (order number) | 101093553                      |
| EAN (European Article Number) | 4030661099989                  |
| eCl@ss number, version 9.0    | 27-27-26-06                    |
| eCl@ss number, version 11.0   | 27-27-26-06                    |
| eCl@ss number, version 12.0   | 27-27-26-06                    |
| ETIM number, version 7.0      | EC001487                       |
| ETIM number, version 6.0      | EC001487                       |

#### General data

|                                     |                       |
|-------------------------------------|-----------------------|
| Coding level according to ISO 14119 | Low                   |
| Material of the actuator            | Stainless steel (V2A) |
| Gross weight                        | 36.3 g                |

#### Mechanical data

|                |                   |
|----------------|-------------------|
| Actuator       | straight<br>rigid |
| Latching force | 30 N              |


## Pictures

### Product picture (catalogue individual photo)




ID: kaz15f08  
 | 342.5 kB | .jpg | 352.425 x 361.244 mm - 999 x 1024 px - 72 dpi  
 | 31.7 kB | .png | 74.083 x 75.847 mm - 210 x 215 px - 72 dpi

### Dimensional drawing actuator




ID: kaz15b01  
 | 4.6 kB | .png | 74.083 x 67.381 mm - 210 x 191 px - 72 dpi  
 | 154.4 kB | .jpg | 352.778 x 321.028 mm - 1000 x 910 px - 72 dpi

### Dimensional drawing actuator



ID: 1az15b08  
 | 32.0 kB | .cdr |  
 | 10.7 kB | .png | 74.083 x 52.211 mm - 210 x 148 px - 72 dpi  
 | 112.9 kB | .jpg | 352.778 x 248.003 mm - 1000 x 703 px - 72 dpi


### Dimensional drawing actuator



ID: kaz15b08

| 5.2 kB | .png | 74.083 x 79.728 mm - 210 x 226 px - 72 dpi  
 | 168.2 kB | .jpg | 352.778 x 379.589 mm - 1000 x 1076 px - 72 dpi

## Operating principle



ID: kaz15a18

| 150.4 kB | .cdr |  
 | 198.6 kB | .jpg | 352.778 x 253.294 mm - 1000 x 718 px - 72 dpi  
 | 8.5 kB | .png | 74.083 x 53.269 mm - 210 x 151 px - 72 dpi

Schmersal India Pvt. Ltd., Plot No - G-7/1, Ranjangaon MIDC, Tal. - Shirur, Dist.- Pune 412 220

The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.

Generated on: 08/04/2022, 5:53 am